



INTRODUCING THE 300 SERIES







The all-new UM® RENEGADE 300 SERIES has arrived to define the experience of practical cruising at every level. A full-size cruiser packed with a powerful and reliable 300cc, 4 valve, DOHC engine, all sheet metal fenders, LED lighting, ABS braking system and a full function digital instrument cluster.

During the week: A bike designed to tackle the urban commute in style thanks to its low seat height, agile turning radius, ergonomic riding position with mid-distance foot peg position and a fine tuned BOSCH EFI system to deliver peak torque in the lower RPM

On the weekend: Unleash the power of the Renegade and conquer twisty roads, open highways and everything in between. Whether you are seeking the open road on a comfortable Classic or Classic Deluxe, or if you want to turn your commute into a daily thrill-seeker in a Vegas or Freedom model, there is always a RENEGADE 300 Cruiser model for every free-spirited rider. Prefer the military looks of our flagship Renegade Commando? It's your choice. Go Live the Renegade Life.












ENGINE & EXHAUST SYSTEM







• EFI: The RENEGADE 300 series have been developed with the best components in the industry including the latest generation BOSCH Electronic fuel injection system which has been carefully calibrated to maximize the engine's performance and achieve the perfect balance between power delivery, drivability and fuel efficiency.



. MANIFOLD AND COMBUSTION: The optimized engine manifold and combustion chamber of the RENEGADE CRUISERS 300 improve intake efficiency for better fuel-air mixture. More thorough combustion helps boost power while reducing fuel consumption and engine temperatures.



. DOHC: In the dual-overhead camshaft (DOHC) design of the RENEGADE 300 engine, the cams directly drive the valve train, reducing the inertia of mechanical motion and allowing the engine to produce responsive, high-revving power.



. DUAL-COATED PISTON: Low-friction coating on the piston skirt improves efficiency by minimizing friction loss. Heat insulation coating on the piston head improves combustion efficiency, and further reduces fuel consumption.



. CYLINDER HEAD: The cylinder head features noise-reduction technology to effectively reduce the vibration of the cam chain, resulting in less noise and greater efficiency from the engine. Careful attention has been given to the liquid cooling system via water-jackets in the cylinder to ensure optimum engine temperature required for optimum combustion and engine durability.



. BUILT-IN BALANCE SHAFT: The engine is equipped with a balancer shaft mechanism to minimize vibrations from the combustion cycle. The crankshaft is carefully assembled after a computerized, balancer-matching process to ensure optimum zeroing on performance. Without the technical jargon this means: the engine of the new RENEGADE 300 revs smoothly without vibrations while you enjoy the pleasure of twisting the throttle.
















Feel the riding comfort achieved through specially tuned 41mm front forks and preload adjustable hydraulic rear shocks.

And when you want to come to a stop, the dual piston calipers grip the massive 280mm discs and the Renegade comes to a stop with the aid of the ABS.

Depending on the version, the RENEGADE 300 models can be equipped with the all-new LED R Taillight and Headlight*, a comfortable seat, a modern easy to view digital instrument cluster, external fast-charging USB and detachable saddlebags*. The rear and chassis is stronger, stiffer and more durable than the 125cc smaller sibling and has been designed for straight-line stability, cornering and maneuverability without compromising on comfort.



















URBAN SERIES

AMERIAN CUSTOM











VINTAGE















RENEGADE VEGAS 300

PURELY REFINED

For those riders who want to give their life an adrenaline rush, the UM® Renegade Vegas is an authentic Sport Cruiser designed to make its name in the city and leave a mark on the road and in your heart.





















RENEGADE FREEDOM 300

MARKING MY OWN STYLE

The RENEGADE FREEDOM 300 is a Sport Cruiser with a stylish headlight cowling and R LED Headlight that makes it futuristic and























RENEGADE COMMANDO CLASSIC 300

Classic

CLASSIC SOUL OF ADVENTUROUS SPIRIT

Always proud wherever you go, this is the spirit of our UM® Renegade Commando 300 motorcycle lineup, it has a character that attracts riders with its very nature. Its classic and ergonomic design, with 750mm seat to ground height is ideal for most users comes with a comfortable passenger's backrest. An ideal motorcycle for the true renegades that are always on the go, inspire the road and adventure, solid, strong and reliable as their motorcycles and always proud wherever they go.

















RENEGADE COMMANDO CLASSIC DELUXE 300

A MODERN CRUISER WITH A NOSTALGIC SENSE























MY LEGEND, MY LEGACY

The timeless military looks make the RENEGADE COMMANDO a true hero. Equipped with the R Tailight, a modern digital meter, external USB fast-charging and its traditional green matt paint scheme, the RENEGADE COMMANDO 300 will transport you to great adventures and fun.























RENEGADE VEGAS 300 RENEGADE FREEDOM 300 RENEGADE COMMANDO CLASSIC 300 RENEGADE COMMANDO CLASSIC DELUXE 300 RENEGADE COMMANDO 300

ENGINE & TRANSMISSION

Engine Type Single cylinder, 4-stroke, DOHC 4 Valve 4 Valve 4 Valve Valve 4 Valve 4 Valve 292.4cc 292.4cc 292.4cc 292.4cc 292.4cc Displacement ECU ECU ECU ECU ECU Ignition Fuel Delivery EFI (BOSCH) EFI (BOSCH) EFI (BOSCH) EFI (BOSCH) EFI (BOSCH) 20.5Kw / 8500 rpm Max. Power 20.5Kw / 8500 rpm 20.5Kw / 8500 rpm 20.5Kw / 8500 rpm 20.5Kw / 8500 rpm 25 Nm / 7000 rpm 25 Nm / 7000 rpm Max. Torque 25 Nm / 7000 rpm 25 Nm / 7000 rpm 25 Nm / 7000 rpm Compression Ratio 11.3:1 11.3:1 11.3:1 11.3:1 11.3:1 Bore x Stroke 78 x 61.2 mm Starter System Electric starter Electric starter Electric starter Electric starter Electric starter Cooling System Liquid cooled Liquid cooled Liquid cooled Liquid cooled Liquid cooled Transmission Type Constant mesh 6-speed Final Drive 520H Chain 520H Chain 520H Chain 520H Chain 520H Chain

SUSPENSION, BRAKES & TIRES

Front Suspension Universal, hydraulic, 41mm Universal, hydraulic, 41mm Universal, hydraulic, 41mm Universal, hydraulic, 41mm Rear Suspension Double shock absorber Double shock absorber with gas reservoir Double shock absorber Double shock absorber 110 / 80 - 17 110 / 80 - 17 110 / 90 - 16 110 / 90 - 16 140 / 80 - 15 140 / 90 - 15 140 / 90 - 15 140 / 80 - 15 Single disc, Radially two piston fork caliper Single disc, Radially two piston fork caliper

OTHER TECHNICAL PARAMETERS

172 Kg 172 Kg 175 Kg 770 mm 770 mm 770 mm 1120 mm 1125 mm 1125 mm 2260 mm 2270 mm 2270 mm 840 mm 840 mm 840 mm 150 mm 150 mm 150 mm 1530 mm 1530 mm 1530 mm 21.0 L 21.0 L







177 Kg

770 mm

1125 mm

2270 mm

840 mm

150 mm

1530 mm





Universal, hydraulic, 41mm

Single disc, Radially two piston fork caliper

Single disc, Radially two piston fork caliper

Double shock absorber

110 / 90 - 16

140 / 90 - 15

175 Kg

770 mm

1125 mm

2270 mm

840 mm

150 mm

21.0 L

1530 mm





















8	
	BRAND REFERENCE
	ENGINE TYPE VALVES
	DISPLACEMENT FUEL DELIVERY MAX. POWER
	MAX, TORQUE COMPRESSION R
811	STARTER SYSTEM COOLING SYSTEM
	TRANSMISSION T
	REAR SUSPENSIO
6	BRAKE SYSTEM FRONT BRAKE BEAR BRAKE
	FRONT RIM TYPE
	FRNT TIRE REAR RIM TYPE
	REAR TIRE WEIGHT
3	SEAT HEIGHT HEIGHT

WHEELBASE FUEL TANK CAPACITY

172 Kg 770 mm 1120 mm 2260 mm 840 mm 150 mm 1530 mm 21 L

	UM*		ROYAL ENFIELD		HYOSUNG
NCE	RENEGADE VEGAS 300		METEOR 350		BOBBER GV300S
TYPE	1-CYLINDER / 4-STROKE / DOHC	1	1-CYLINDER / 4-STROKE / SOHC	×	2-CYLINDER / 4-STROKE / SO
100	4 VALVES	1	2 VALVES	×	8 VALVES
CEMENT	292.4 cc	1	349 cc	7	296 cc
ELIVERY	FUEL INJECTION	/	FUEL INJECTION	1	FUEL INJECTION
OWER	20.5 kW / 8500 rpm	V	14.8 kW / 6100 rpm	×	21.9 kW / 8500 rpm
OROUE	25 N.m. / 7000 rpm	×	27 N.m. / 4000 rpm	/	26.6 N.m. / 6500 rpm
ESSION RATIO	11.3:1	/	9.5:1	×	11.6:1
R SYSTEM	ELECTRIC STARTER	1	ELECTRIC STARTER	/	ELECTRIC STARTER
IG SYSTEM	LIQUID COOLED	1	AIR COOLED + OIL COOLER	×	LIQUID COOLED
MISSION TYPE	CONSTANT MESH G-SPEED	1	CONSTANT MESH 5-SPEED	X	CONSTANT MESH 5-SPEED
SUSPENSION	41mm, UNIVERSAL FORK	1	41mm, UNIVERSAL FORK	1	35mm, UNIVERSAL FORK
USPENSION	DOUBLE SHOCK ABSORBER, PRELOAD ADJUSTABLE	1	DOUBLE SHOCK ABSORBER, PRELOAD ADJUSTABLE	/	DOUBLE SHOCK ABSORBER, P
SYSTEM	ABS	1	ABS		ABS
BRAKE	SINGLE DISC RADIALLY MOUNTED TWO-PISTON FORK CALIPER	/	SINGLE DISC, RADIALLY MOUNTED TWO-PISTON FORK CALIPER	V	SINGLE DISC, RADIALLY MOUN
RAKE	SINGLE DISC RADIALLY MOUNTED TWO-PISTON FORK CALIPER	/	SINGLE DISC, RADIALLY MOUNTED ONE-PISTON FORK CALIPER	X	SINGLE DISC, RADIALLY MOUN
RIM TYPE	ALLOY	1	ALLOY	1	ALLOY
IRE	110 / 80 -17	/	100 / 90 -19	1	120 / 80 -16
IM TYPE	ALLOY	V	ALLOY	1	ALLOY
IBE	140 / 80 - 15	1	140 / 70 - 17	/	150 / 80 - 15











LIVE THE RENEGADE LIFE

